RHEUMATOID ARTHRITIS SPECIALTY CARE PROGRAM

Phone: **888-623-3133** • Fax: **844-673-2245**

1 PATIENT INFORMATION:

Name: ______________________________
Address: ______________________________
City: ______________ State: ____ Zip: ________
Phone: ______________ Alt. Phone: ______________
Email: ______________________________
DOB: __________ Gender: ❍ M ❍ F Caregiver: __________
Height: ________ Weight: ________ Allergies: ____________

2 PRESCRIBER INFORMATION:

Name: ______________________________
Address: ______________________________
City: ______________ State: ____ Zip: ________
Phone: ______________ Fax: ______________
NPI: ______________ DEA: ______________
Tax I.D.: ______________________________
Office Contact: ______________ Phone: ______________

v9.8_052818

3 STATEMENT OF MEDICAL NECESSITY: (Please Attach All Medical Documentation)

Date of Diagnosis: ______________________
ICD-10: ______________________
Other: ______________________
TB Test: ❑ Positive ❑ Negative Date: ________

Patient also taking Methotrexate? ❑ Yes ❑ No
Serious or active infection present? ❑ Yes ❑ No
Hep B ruled out or treatment started? ❑ Yes ❑ No
Does patient have latex allergy? ❑ Yes ❑ No
LFT: ALT:________ AST:________ Date:__________

Prior Failed Treatments:
❑ Azulfidine® ❑ Celebrex® ❑ Methotrexate
❑ Biologics ❑ Corticosteroids ❑ Others
❑ Calcipotriene ❑ Indocin®

Indicate Drug Name and Length of Treatment:
____
____
____

If Prior Authorization is denied, recommended formulary alternatives will be provided to the prescriber based upon the patient's insurance coverage.

4 INJECTION TRAINING: ❍ Pharmacist to Provide Training ❍ Patient Trained in MD Office ❍ Manufacturer Nurse Support

5 PRODUCT DELIVERY: ❍ Patient's Home ❍ Physician's Office ❍ Pharmacy to Coordinate

6 INSURANCE INFORMATION: Please Include Front and Back Copies of Pharmacy and Medical Card

PRESCRIPTION INFORMATION: (Please be sure to choose both induction and maintenance dose where applicable)

Patient Name: ______________________________ Patient's Date of Birth: ______________

Medication	Dosage & Strength	Direction	QTY	Refills
❑ ACTEMRA®	❑ 162mg/0.9ml Prefilled Syringe	❑ Inject 162mg SC every other week (< 220 lbs) ❑ Inject 162mg SC every week (> 220 lbs) ❑ Inject 162mg SC every 2 weeks (> 66lbs) ❑ Inject 162mg SC every 3 weeks (< 66lbs)		
❑ CIMZIA®	❑ Prefilled Syringe Starter Kit ❑ 200mg/ml Prefilled Syringe ❑ 200mg Lyophilized Powder Vial	❑ **Induction Dose:** Inject 400mg SC on day 1, day 14 and day 28	6	0
		❑ **Maintenance:** Inject 400mg SC every 4 weeks ❑ **Maintenance:** Inject 200mg SC every other week	2	
❑ COSENTYX®	❑ 150mg/ml Sensoready® Pen ❑ 150mg/ml Prefilled Syringe ❑ 150mg/ml Lyophilized Powder Vial	❑ **Induction Dose:** Inject 150mg SC at weeks 0, 1, 2, 3, and 4	5	0
		❑ **Induction Dose:** Inject 300mg SC at weeks 0, 1, 2, 3, and 4	10	0
		❑ **Maintenance Dose:** Inject 150mg SC every four weeks	1	
		❑ **Maintenance Dose:** Inject 300mg SC every four weeks	2	
❑ ENBREL®	❑ 50mg/ml Sureclick Autoinjector ❑ 50mg/ml Enbrel Mini™ Prefilled Cartridge ❑ *For Enbrel Mini™ only: AutoTouch™ Autoinjector* ❑ 50mg/ml Prefilled Syringe ❑ 25mg/ml Prefilled Syringe ❑ 25mg/ml Vial	❑ Inject 50mg SC once a week	4	
		❑ Inject 25mg SC twice a week (3-4 days apart)	1	
		❑ Other________________________		
❑ HUMIRA®	❑ 40mg/0.8ml Pen ❑ 40mg/0.8ml Prefilled Syringe	❑ Inject 40mg SC every other week ❑ Inject 40mg SC once a week ❑ *Patient has signed HUMIRA Complete form*		
❑ KEVZARA®	❑ 150mg/1.14ml Prefilled Syringe	❑ Inject 150mg SC every 2 weeks	2	
	❑ 200mg/1.14ml Prefilled Syringe	❑ Inject 200mg SC every 2 weeks	2	
❑ ORENCIA®	❑ 250mg Lyophilized Powder Vial ❑ 125mg/ml ClickJect™ Autoinjector ❑ 50mg/0.4ml Prefilled Syringe ❑ 87.5mg/0.7ml Prefilled Syringe ❑ 125mg/ml Prefilled Syringe	❑ **Induction Dose:** Patient Weight < 132 lbs: 500mg; 132-220 lbs: 750mg; > 220 lbs: 1000mg administered IV, then inject 125mg SC within 24 hours		0
		❑ Inject 50mg SC once a week (10 to less than 25kg)	4	
		❑ Inject 87.5mg SC once a week (25 to less than 50kg)	4	
		❑ Inject 125mg SC once a week (50kg or more)	4	
❑ OTEZLA® (for PsA)	❑ Starter Pack (Titration) ❑ 30mg Tablets	❑ **Starter Pack:** Take one tablet in the morning on day 1, then take one tablet in the morning and one tablet in the evening as directed on the starter pack	1	0
		❑ **Maintenance:** Take one 30mg tablet by mouth twice daily	60	
❑ SIMPONI®	❑ 50mg/0.5ml Smartject Autoinjector ❑ 50mg/0.5ml Prefilled Syringe	❑ Inject 50mg SC once a month	1	
❑ STELARA® (for PsA)	❑ 45mg/0.5ml Prefilled Syringe (for < 220 lbs) ❑ 90mg/1ml Prefilled Syringe (for > 220 lbs)	❑ **Induction Dose:** Inject 1 prefilled syringe SC on day 1	1	
		❑ **Maintenance:** Inject 1 prefilled syringe SC on day 29, and every 12 weeks thereafter	1	0
	❑ Yes or ❑ No: ***STELARA SELF-INJECTION:*** *Healthcare provider certifies that patient has been trained and is eligible for self-injection*			
❑ XELJANZ®	❑ 5mg Tablet	❑ Take one 5mg tablet by mouth twice a day	60	
❑ XELJANZ® XR	❑ 11mg Tablet	❑ Take one 11mg tablet once a day	30	
❑ RASUVO®	❑ ______________	❑ ______________		
❑ COLCIGEL®	❑ ______________	❑ ______________		
❑ ______________	❑ ______________	❑ ______________		

PRESCRIBER SIGNATURE:

I authorize pharmacy to act as my designee for initiating and coordinating insurance prior authorizations, nursing services and patient assistance programs.

Signature: ______________________ Date: __________
Substitution Permitted

Signature: ______________________ Date: __________
Dispense As Written

Prior authorization approval and insurance benefits will be determined by the payor based upon the patient's eligibility, medical necessity, and the terms of the patient's coverage, among other things. Participation in this program is not a guarantee of prior authorization or of payment.

Confidentiality Notice: This fax is intended to be delivered only to the named addressee and contains confidential information that may be protected health information under federal and state laws. If you are not the named addressee, you should not disseminate, distribute or copy this fax. Please inform the sender immediately if you have received this document in error and then destroy this document immediately.

© 2017 KloudScript, Inc. - All rights reserved.